


Understanding your Exam Feedback

Failing scores will include the following information:

CLARB Diagnostic Feedback

This scaled score is provided as a performance indicator demonstrating how close you were to the passing score of 650 or greater. A scaled score of 640, for example, would indicate that you were very close to passing.



Sub-Domain Feedback

As part of your results, you will receive one of the following performance reviews. This feedback is intended to help you better understand how you performed on each sub-domain of the exam:

- **Well Below Proficient**
 - Indicates in this administration the candidate performed well below the minimum competency threshold for this area of practice.
- **Slightly Below Proficient**
 - Indicates in this administration the candidate performed just below the minimum competency threshold for this area of practice.
- **Proficient**
 - Indicates in this administration the candidate performed at or above the minimum competency threshold for this area of practice.

L.A.R.E. Exam sections and corresponding sub-domains:

Inventory, Analysis and Project Management

Sub-Domain 1 Feedback = Project Management (7%)
Sub-Domain 2 Feedback = Inventory & Data Collection (21%)
Sub-Domain 3 Feedback = Stakeholder Engagement Process (14%)
Sub-Domain 4 Feedback = Physical Analysis (39%)
Sub-Domain 5 Feedback = Contextual Analysis (19%)

Planning & Design

Sub-Domain 1 Feedback = Stewardship & Design Principles (17%)
Sub-Domain 2 Feedback = Master Planning (33%)
Sub-Domain 3 Feedback = Schematic Design (28%)
Sub-Domain 4 Feedback = Design Development (22%)

Construction Documentation & Administration

Sub-Domain 1 Feedback = Construction Plans & Details (50%)
Sub-Domain 2 Feedback = Construction Specifications and Bidding (20%)
Sub-Domain 3 Feedback = Construction Administration (30%)

Grading, Drainage & Stormwater Management

Sub-Domain 1 Feedback = Stormwater Management (39%)
Sub-Domain 2 Feedback = Grading & Earthwork (44%)
Sub-Domain 3 Feedback = Drainage Systems (17%)